### Sockets & Extensions - eCoDrive<sup>™</sup>

# STANLEY.

## Special Socket 15mm Bolt Clearance, Magnetic

3/8" Drive	Len	gth	Diam	neter	Part	Socket With	Separate	Dowel Pin	External
Size (mm)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
13	30.226	1.19	19.7866	0.779	24W500333	24W510198	24W520040	24R501280	24R501270

#### **Hex Euro Quick Change**

3/8" Drive	Len	gth	Dian	neter	Part	With	Separate	Dowel Pin	External	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
1/4	32.766	1.29	21.209	0.835	24W500323	24W510193	2414/520002	24R501282	240501274	
7/16	32.766	1.29	21.209	0.835	24W500258	Contact Us	24W520002		24R501274	

1/2" Drive	Len	gth	Diam	ieter	Part	With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
7/16	39.116	1.54	25.146	0.99	24W500324	24W510194	24W520018	24R501283	24R501271

### Hex Asian Quick Change

3/8" Drive	Len	gth	Dian	neter	Part	With	Separate	Dowel Pin	External	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
1/4	45.466	1.79	21.209	0.835	24W500329	24W510195	2410/520002	24DE01202	24DE01274	
7/16	45.466	1.79	21.209	0.835	24W500331	24W510197	24W520002	24R501282	24R501274	

3/8" Drive	Len	gth	Dian	neter	Part	Socket With	Separate	Dowel Pin	External	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
1/4	39.116	1.54	25.146	0.99	24W500257	Contact Us		24R501283	24R501271	
7/16	39.116	1.54	25.146	0.99	24W500330	24W510196 24W520018	24W520018			
5/8	39.116	1.54	25.146	0.99	24W500256	Contact Us	1			

#### **Asian Extension**

3/8" Drive	Len	gth	Diameter		Part	Extension With	Separate	Dowel Pin	External	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
2	42.164	1.66	21.209	0.835	24W500006	24W510003				
4	100.584	3.96	21.209	0.835	24W500010	24W510007				
6	151.384	5.96	21.209	0.835	24W500039	24W510036				
8	202.184	7.96	21.209	0.835	24W500011	24W510008	24W520001	24R501282	24R501274	
10	252.984	9.96	21.209	0.835	24W500035	24W510032				
12	303.784	11.96	21.209	0.835	24W500036	24W510033				
16	430.784	16.96	21.209	0.835	24W500012	24W510009				

# Sockets & Extensions - eCoDrive<sup>™</sup>

#### **Asian Extension**

1/2" sq.	Len	igth	Dian	neter	Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
2	50.8	2	25.146	0.99	24W500019	24W510016			
4	100.33	3.95	25.146	0.99	24W500013	24W510010			
8	201.93	7.95	25.146	0.99	24W500014	24W510011	2414/520017		240501271
10	252.73	9.95	25.146	0.99	24W500037	24W510034	24W520017	24R501283	24R501271
12	303.53	11.95	25.146	0.99	24W500038	24W510035			
16	405.13	15.95	25.146	0.99	24W500015	24W510012			

# Asian Extension / Adapter

3/8" Female x 1/4" Male	3/8"x 1/4"	Len	gth	Dian	neter	Part	Extension With	Separate	Dowel Pin	External	
,.	Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
	4	101.6	4	21.209	0.835	24W500364	Contact Us	24W520001	24R501282	24R501274	
3/8" Female x 1/2" Male	3/8"x 1/2"	Len	gth	Dian	neter	Part	Extension With	Separate	Dowel Pin	External	
,	Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
	2	48.514	1.91	25.146	0.99	24W500375	Contract lla	24W520001	24R501282	24R501274	
	4	106.426	4.19	25.146	0.99	24W500376	Contact Us	2400020001	240301282	240301274	
1/2" Female x 3/8" Male	1/2"x 3/8"	Len	gth	Dian	neter	Part	Extension With	Separate	Dowel Pin	External	
-,	Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
	2	48.514	1.91	25.146	0.99	24W500049					
	4	106.426	4.19	25.146	0.99	24W500050	Contact Us for more info	24W520017	17 24R501283	24R501271	
	8	208.026	8.19	25.146	0.99	24W500051					

## **Euro to Asian Extension / Adapter**

3/8"	Len	gth	Dian	ieter	Part	Extension With	Separate	Dowel Pin	External	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring	
2	43.18	1.7	21.209	0.835	24W500001	Contact Us				
4	101.6	4.00	21.209	0.835	24W500007	24W510004	24W520001	24R501282	040501074	
8	203.2	8.00	21.209	0.835	24W500008	24W510005	2400520001	24501282	24R501274	
16	406.4	16.00	21.209	0.835	24W500009	24W510006				

1/2"	Len	igth	Dian	neter	Part	Extension With	Separate	Dowel Pin	External O-Ring	
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve			
2	51.816	2.04	25.146	0.99	24W500002	Contact Us				
4	101.6	4.00	25.146	0.99	24W500016	24W510013	2414/520017		048504074	
8	203.2	8.00	2.5146	0.99	24W500017	24W510014	24W520017	24R501283	24R501271	
16	406.4	16.00	25.146	0.99	24W500018	24W510015	7			

3/4"	Len	gth	Dian	ieter	Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
2	51.816	2.04	29.718	1.17	24W500003	Contact Us			

Sockets & Extensions - eCoDrive<sup>™</sup>

# STANLEY.

#### **Euro to Asian Extension / Adapter**

1/2" Female x 3/8" Male

e e	1/2"x 3/8"	Len	gth	Dian	meter Part		Extension With	Separate	Dowel Pin	External
	Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
	2	48.514 1.91		25.146 0.99 24W500049						
	4	106.426			0.99	24W500050	Contact Us for more info	24W520017	24R501283	24R501271
	8	208.026	8.19	25.146	0.99	24W500051				

#### Standard Female to eCoDrive Male Adapter / Extension

3/8" sq.	Length		Diameter		Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
2	43.18	1.70	21.209	0.835	24W500024	24W510021	24W520035	24R501282	24R501270
4	101.60	4.00	21.209	0.835	24W500025	24W510022			
8	203.20	8.00	21.209	0.835	24W500031	24W510028			
16	406.40	16.00	21.209	0.835	24W500032	24W510029			

1/2"	Length		Diameter		Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		O-Ring
2	52.324	2.06	25.146	0.99	24W500026	24W510023	24W520036	24R501283	24R501271
4	101.6	4.00	25.146	0.99	24W500027	24W510024			
8	203.2	8.00	25.146	0.99	24W500033	24W510030			
16	406.4	16.00	25.146	0.99	24W500034	24W510031			

#### **Asian Tube Extension**

3/8" Drive	Length		Diameter		Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		0-Ring
8	156.972	6.18	25.4	1	24W500042	Contact Us	24W20002	24R501282	24R501274
16	360.172	14.18	25.4	1	24W500043				

1/2" Drive	Length		Diameter		Part	Extension With	Separate	Dowel Pin	External
Size (in)	mm	in	mm	in	Number	Sleeve	Sleeve		0-Ring
8	144.78	5.70	30.226	1.19	24W500044	Contact Us	24W520017	24R501283	24R501271
16	347.98	13.70	30.226	1.19	24W500045				