











**Chisels for Chipping hammers.** All chisels are normally through hardened. Otherwise, see tables.


Figure	Shank type	Tools	Table
	Square shank 13.0 mm	RRC13, RRC13B	1
	Extended square shank ISO, 12.7 mm		1
	Hexagon and round shank ISO, round collar 12.7 mm	RRC22F-01, RRC22F-02 RRF21, RRF31	2
	Hexagon shank ISO round collar 17.3 mm	RRC34B-01, RRC65B-01, RRC75B-01	3
	Round shank ISO, with splines 17.3 mm	RRD37, RRD57	3
	Hexagon shank ISO without round collar 17.3 mm	RRC34-01, RRC65-01, RRC75-01	4
	Round shank ISO, without collar 17.3 mm	RRC34-02, RRC65-02, RRC75-02	4
	Special shank	RVM07B	5

# Chisels

## 1 A. Chisels with square shank 1/2"

### B. Chisels with square shank ISO 1/2"


### C. Square shank 1/2" in round end. For RRC13B



Chisel type	Designation	Width		Length		Square 1/2" Ordering No.	ISO Extended square 1/2" Ordering No.	Ordering No.
		mm	in	mm	in			
	Chisel blank	15	0.59	155	6.1	3085 0020 00		
		15	0.59	200	7.9	3085 0020 01		
		15	0.59	300	11.8	3085 0020 02		
	Flat chisel	15	0.59	165	6.1	3085 0227 00	3085 0230 01	
		15	0.59	200	7.9	3085 0227 01		
		15	0.59	110	4.3			3512 0114 00
		15	0.59	185	7.3			3512 0070 00
	Wide flat chisel	35	1.38	165	6.5	3085 0032 00	3085 0232 01	
		35	1.38	200	7.9	3085 0032 01		
		35	1.38	300	11.8	3085 0032 02		
		55	2.17	165	6.5	3085 0332 00		
		35	1.4	178	7			3512 0115 00
	Angle scraper chisel	35	1.38	165	6.5	3085 0176 00	3085 0362 00	
		35	1.38	200	7.9	3085 0176 01		
		55	2.17	165	6.5	3085 0333 00		
	Scaling chisel	15	0.59	155	6.1	3085 0018 00	3085 0229 01	
		15	0.59	200	7.9	3085 0018 02		
		15	0.59	300	11.8	3085 0018 01		

## 2 A. Chisels with hexagon shank ISO, round collar 1/2 in. For RRC22F-01.

### B. Chisels with round shank ISO, round collar 1/2 in. For RRC22F-02.



Chisel type	Designation	Width		Length		Hex ISO 12.7 mm (1/2") Ordering No.	Round ISO 12.7 mm (1/2") Ordering No.
		mm	in	mm	in		
	Chisel blank	13	0.51	200	7.9	3085 0182 00	
		13	0.51	350	13.8	3085 0182 01	
		13	0.51	400	15.7	3085 0182 04	
		13	0.51	500	19.7	3085 0182 05	
	Flat chisel	13	0.51	200	7.9	3085 0183 00	3085 0184 00
		35	1.38	300	11.8	3085 0376 00	
	Sharp chisel	15	0.59	200	7.9	3085 0170 00	
		15	0.59	300	11.8	3085 0170 01	
	Spot weld chisel	17	0.69	200	7.9	3085 0301 00	
	Angle scraper chisel	30	1.18	200	7.9	3085 0262 00	
	Pipe cutting chisel	20	0.78	200	7.9	3085 0302 00	
		35	1.38	200	7.9	3085 0303 00	
	Plate cutting chisel	14.5	0.57	200	7.9	3085 0263 00	
	Plate cutting chisel	16	0.62	200	7.9	3085 0173 00	
	Moil point chisel	13	0.51	200	7.9	3085 0297 00	
		13	0.51	305	12.0	3085 0297 01	

### 3 Chisels with round ISO shank with splines 0.68 in. For RRD 37-11, RRD 37-12, RRD 57-11, RRD 57-12.



Chisel type	Designation	Width		Length		Round ISO with splines 17.3 mm (0.68") Ordering No.
		mm	in	mm	in	
	Chisel blank	22	0.86	250	9.8	3085 0242 00
		22	0.86	340	13.4	3085 0242 01
		22	0.86	550	21.7	3085 0242 02
		22	0.86	800	31.5	3085 0242 03
	Flat chisel	22	0.86	215	8.5	3085 0236 00
		22	0.86	250	9.8	3085 0236 01
		22	0.86	340	13.4	3085 0236 02
		22	0.86	550	21.7	3085 0236 03
	Flat chisel	32	1.26	340	13.4	3085 0252 00
	Wide flat chisel	50	1.97	340	13.4	3085 0250 00
	Extra wide flat chisel	130	5.12	400	15.7	3085 0998 00
	Angle scraper chisel	50	1.97	335	13.2	3085 0350 00
	Moil point chisel	22	0.86	340	13.4	3085 0249 00

### 4 Chisels with special shank. For RVM07.



Chisel type	Designation	Material	Width		Length		Ordering No.
			mm	in	mm	in	
	Flat chisel	Tungsten carbide	10	0.39	120	4.7	3085 0321 00
		Through hardened steel	10	0.39	120	4.7	3085 0325 00
		Tungsten carbide	10	0.39	200	7.9	3085 0321 01
		Tungsten carbide	10	0.39	300	11.8	3085 0321 02
		Tungsten carbide	20	0.79	120	4.7	3085 0345 00
		Through hardened steel	20	0.79	120	4.9	3085 0346 00
	Wide chisel	Tungsten carbide	35	1.38	120	4.7	3085 0322 00
		Through hardened steel	35	1.38	120	4.7	3085 0327 00